



Europäisches
Patentamt

European
Patent Office

Office européen
des brevets

09. 08. 2004

REC'D 10 SEP 2004

WIPO

PCT

BEST AVAILABLE COPY

Bescheinigung

Certificate

Attestation

Die angehefteten Unterla-
gen stimmen mit der
ursprünglich eingereichten
Fassung der auf dem näch-
sten Blatt bezeichneten
europäischen Patentanmel-
dung überein.

The attached documents
are exact copies of the
European patent application
described on the following
page, as originally filed.

Les documents fixés à
cette attestation sont
conformes à la version
initialement déposée de
la demande de brevet
européen spécifiée à la
page suivante.

Patentanmeldung Nr. Patent application No. Demande de brevet n°

03255101.2

**PRIORITY
DOCUMENT**
SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17.1(a) OR (b)

Der Präsident des Europäischen Patentamts;
Im Auftrag

For the President of the European Patent Office

Le Président de l'Office européen des brevets
p.o.

R C van Dijk



Anmeldung Nr:
Application no.: 03255101.2
Demande no:

Anmeldetag:
Date of filing: 18.08.03
Date de dépôt:

Anmelder/Applicant(s)/Demandeur(s):

CERESTAR HOLDING B.V.
Nijverheidsstraat 1
P.O. Box 9
4551 LA Sas Van Gent
PAYS-BAS

Bezeichnung der Erfindung/Title of the invention/Titre de l'invention:
(Falls die Bezeichnung der Erfindung nicht angegeben ist, siehe Beschreibung.
If no title is shown please refer to the description.
Si aucun titre n'est indiqué se référer à la description.)

Bakery products containing starch n-octenyl succinate


In Anspruch genommene Priorität(en) / Priority(ies) claimed /Priorité(s)
revendiquée(s)
Staat/Tag/Aktenzeichen/State/Date/File no./Pays/Date/Numéro de dépôt:

Internationale Patentklassifikation/International Patent Classification/
Classification internationale des brevets:

A21D/

Am Anmeldetag benannte Vertragstaaten/Contracting states designated at date of
filing/Etats contractants désignées lors du dépôt:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LU MC NL
PT RO SE SI SK TR LI



Bakery products containing starch n-octenyl succinate.

Technical field

The present invention relates to a composition comprising starch n-octenyl succinate ("n-OSA starch") for use in bakery products. The invention further relates to dough or batter mixtures comprising said composition, to processes for preparing such products and to bakery products prepared according to such processes.

Background of the invention

In the food processing industry, including that of baked goods, it has, for a long time, been desirable to develop high quality, convenient foods, having ever longer shelf-lives, easier storage conditions and high appeal to sight, touch, taste and smell.

New trends such as more natural, healthier, more nutritious foods, environmental friendliness, freshness and clean label are also in demand.

One particular focus has been the replacement of egg yolk and/or whole egg in food stuffs. This not only leads to healthier (lower cholesterol) and cheaper foods, but can also extend shelf-life (although only insofar as proposed substitutes tend to remain edible, under normal storage conditions, for longer than eggs).

A number of egg substitutes have therefore been developed. For example, eggs have successfully been replaced by specially modified, emulsifying starches such as Cerestar's C*EmTex™ and National Starch and Chemical's N-Creamer 46™ in sauces, dressings and mayonnaise. There has also been some success in replacing eggs in baked goods. EP1159876A1, for example, discloses the use of starch n-alkenyl succinate for partial egg replacement. However, attempts to replace the entire egg content have, so far, been unsuccessful. It has indeed been observed that, if 100% of the egg content is replaced, dough volume is reduced leading to a dense, heavy texture

in the final product, product height after cooking is diminished, crumb texture becomes hard, dry and crumbly after only short periods in storage and moisture is reduced resulting in decreased edibility.

Thus, there exists a need for an improved egg substitute, suitable for entire egg content replacement, for use in the preparation of high quality bakery products. The present invention provides such a substitute.

Summary of the invention

According to a first aspect of the present invention, there is provided a dry composition for use in bakery products characterised in that it consists of: 40-60% w/w starch n-octenyl succinate; 20-40% w/w untreated starch; and 10-30% w/w whey protein.

According to a second aspect, there is provided a liquid composition characterised in that it comprises a dry composition as defined above, water (or a water-miscible liquid) and, optionally, one or more flavouring(s), colorant(s), vitamin(s) and/or mineral(s).

According to a further aspect of the present invention, there is provided the use of said dry or liquid composition for replacing whole egg in bakery products.

According to another aspect of the present invention, there is provided a dough or batter mixture for use in preparing a bakery product comprising said dry composition. Preferably, said dough or batter mixture will comprise 1-20% w/w of said dry composition or 5-40% w/w of said liquid composition.

In a further aspect, the present invention provides a dough or batter mixture for use in preparing a bakery product comprising: 10-20 % w/w flour; 1-15 % w/w starch n-octenyl succinate; 0.5-20 % w/w untreated starch; 0.1-7 % w/w whey protein; 0-40 % w/w egg; and 0-10 % w/w emulsifier.

The dough or batter mixture according to the invention may be used in the preparation of bakery products such as pound cake, sponge cake, chiffon cake, cheese cake, fruitcake, layer cake or gingerbread. Preferably, the dough or batter mixture will be used in the preparation of a sponge cake.

According to yet another aspect of the present invention there is provided a process for preparing bakery products characterised in that it comprises: (a) preparing a mixture of n-OSA starch, untreated starch, whey protein and, optionally, water or a water-miscible liquid; (b) combining the mixture of step (a) with other ingredients for obtaining a dough or batter; and (c) baking the dough or batter. The "other ingredients" of step (b) will include flour and, optionally, one or more of: egg, emulsifier(s), water and/or water miscible liquid(s), raising agent(s), sweetener(s), fat(s), flavouring(s), colorant(s), vitamin(s) and mineral(s). Preferably, step (c) will be carried out at a temperature in the range 140-190 °C and in a non-coated receptacle.

In an additional aspect of the invention, there is provided a bakery product prepared according to the above process.

Description of the figures

Figure 1: Graph comparing compressibility in conventional sponge cakes and in egg free cakes of the invention.

Detailed description of the invention

The present invention discloses a dry or liquid composition for use in bakery products comprising n-OSA starch, untreated starch and whey protein.

The starch (n-OSA and untreated) may be from a variety of sources such as corn, maize, waxy maize, potato, waxy potato, pea, rice, wheat, cassava, sorghum,

tapioca and the like. Preferably, the n-OSA starch will be derived from a high amylopectin source, e.g. waxy maize or waxy potato.

The n-OSA starch may be thinned (by acid or enzymatic thinning), undextrinised, dextrinised, granular (cook-up), pregelatinised (roll-dried) and/or stabilised. Alternatively, it may be a mixture of two or more of such n-OSA starches. According to a preferred embodiment, the n-OSA starch will be a granular starch. The degree of substitution of the n-OSA starch will preferably vary between 0.2 to 3%, even more preferably between 0.5 to 2.5%. The degree of substitution can be determined by HPLC.

n-OSA starch accounts for 40-60% of the total weight of the dry composition of the present invention. Preferably, it will account for 45-55% of the total weight.

The starch used as such, termed "untreated starch" to distinguish it from the n-OSA starch, can be unmodified (native) or modified, e.g. etherified, esterified, phosphated, cross-linked and the like. It accounts for 20-40% (preferably 25-35%) of the total weight of the dry composition of the present invention.

Whey protein, finally, accounts for 10-30% (preferably 15-25%) of the total weight of the dry composition. It can be isolated or purified from milk using any method known to the person skilled in the art.

If necessary, before use, water and/or a water-miscible liquid (such as milk or alcohol for example) may be added to the dry composition. Accordingly, the present invention also provides a liquid composition comprising both the dry composition as defined above and water (or a water-miscible liquid). The liquid composition may further comprise one or more flavouring(s), colorant(s), vitamin(s) and/or mineral(s).

As the composition (the term "composition, as used herein, referring to either the dry or liquid composition) of the present invention is to be used as an egg substitute, the quantity of water in the liquid composition should compensate for any

loss of liquid caused by omitting the eggs. The ratio of dry composition to water (or water-miscible liquid) in the liquid composition should therefore preferably be 35:65. Even more preferably, it should be 45:55. Of course, the quantity of water present in the liquid composition will vary depending on the amount of liquid already present in the dough or batter to which it is to be added.

In its final form, the (dry or liquid) composition of the present invention is an effective egg substitute for use in bakery products. Thus, the present invention further relates to the use of this composition in bakery products in which it is desired to reduce cholesterol levels and/or to extend shelf-life. In addition, it has surprisingly been found that the composition of the present invention contributes to a more tender crumb, thereby improving product edibility. The present invention therefore further relates to bakery products comprising the composition defined above and to dough or batter mixtures for use in preparing such products.

According to one embodiment, the dough or batter mixture will comprise 1-20% w/w, preferably 5-10% w/w, of the above dry composition or 5-40% w/w, preferably 10-35% w/w, of the above liquid composition. According to a further embodiment, the mixture will comprise 10-20% w/w flour, 1-15% w/w n-OSA starch, 0.5-10% w/w untreated starch and 0.1-7% w/w whey protein. Preferably, the mixture will comprise 10-15% w/w flour, 4-12% w/w n-OSA starch, 2-8% w/w untreated starch and 1-6% w/w whey protein.

The flour used in the above dough or batter mixture may be from any source (e.g. corn flour, soy flour or wheat flour). Most preferably, however, it will be wheat flour. It is the protein of wheat flour, gluten, which distinguishes it from other flours and makes it of particular value in the baking industry. In hard, high-protein wheats, there is more gluten in the endosperm and the starch cells are firmly cemented together. In soft, low-protein wheats the bonding is not so firm. For most cakes a soft, low-protein flour is needed for obtaining a tender cake. Flours used for pan bread production will generally be milled from hard wheats of high protein content, although soft wheats can give optimum quality in the type of bread that is most popular in some

countries. Ideally, the flour will be non-chlorinated. It has indeed been found that certain starches – such as those used in the present invention (i.e. n-OSA starch) – can be used to supplement non-chlorinated flour whilst maintaining characteristics such as dough volume, crumb hardness and bakery product volume comparable to those of products prepared with chlorinated flour (the use of which is now banned in many countries).

The dough or batter mixture of the present invention may also comprise up to 40% egg. Indeed, although the composition of the present invention is a highly efficient egg substitute, it does not have to be used for entire egg replacement. Nonetheless, the mixture will preferably contain less than 25% w/w egg. Even more preferably, it will contain less than 15% w/w egg. The term “egg” is used herein to refer to whole egg content or partial egg content. In the present context, “partial egg content” means, for example, the egg yolk constituent of a cake mix whereas “whole egg content” means both egg yolk and egg white. In a preferred embodiment, the composition of the present invention is used to replace whole egg content, either in part (less than 100% w/w, e.g. 25%, 50% or 75% w/w) or entirely (100% w/w). Any egg, if present, may be added in liquid form, powder form or a mixture of the two.

The dough or batter mixtures of the invention may also include an emulsifier (0-10 % w/w, preferably 0-5 % w/w, even more preferably 0-3 % w/w). Any food grade emulsifier, such as lecithin, can be used.

Additional ingredients, if necessary, will be apparent to a person skilled in the art. They may include, for instance: raising agents (such as baking powder and/or yeast), water and/or water miscible liquids (such as milk, alcohols, etc.), sweeteners (e.g. sugar or artificial sweeteners), fat (e.g. margarine, oil, etc.), flavourings (e.g. synthetic or natural flavourings such as vanilla, caramel and/or almond flavourings; fruit juices such as orange, grapefruit, pear, cherry, raspberry and/or blackcurrant juices; vegetable extracts such as tomato, carrot, onion and/or garlic extracts; spices; herbs; etc.) and/or one or more natural or synthetic colorants. Optionally, vitamins (such as vitamins A, D3, E, K1, C, B1, B2, B5, B6, B12 and PP, folic acid and biotin)

and minerals (such as sodium, potassium, calcium, phosphorus, magnesium, chloride, iron, zinc, copper, manganese, fluorine, chromium, molybdenum, selenium and iodine) can also be added. Depending on the type of flour used (in particular, if very high-protein flours are used) the mixture of the invention may also contain up to 10% w/w additional untreated starch. Accordingly, the dough or batter mixture of the invention may comprise, in total, up to 20% w/w untreated starch. Preferably, it will comprise a total of 2-12% w/w untreated starch.

The choice of additional ingredients will depend, of course, on the bakery product being produced. Indeed, the composition according to the present invention can be used in the manufacture of bakery products such as pound cake, sponge cake, chiffon cake, cheesecake, fruitcake, layer cake and gingerbread. Preferably, the bakery product according to the present invention will be a sponge cake. Ideally, the dough or batter mixture for use in preparing such a sponge cake will comprise 10-15% w/w flour, 5-10% w/w n-OSA starch, 4-15% w/w untreated starch and 1-4% w/w whey protein. In addition, it should also comprise sugar, raising agent and water, preferably in the following quantities: 20-30% w/w; 0-2% w/w; and 30-40% w/w, respectively.

It has surprisingly been found that products prepared using the composition of the present invention have comparable properties (in terms of dough viscosity, specific dough volume, specific cake volume and height, shelf-life, crumb texture, etc.) to those prepared with a traditional egg content.

For optimum quality, the products according to the present invention should be prepared according to a process comprising the following steps:

- a) Preparing a mixture of flour, n-OSA starch, untreated starch, whey protein and, optionally, water and/or a water miscible liquid;
- b) Combining the mixture of step (a) with other ingredients for obtaining a dough or a batter, and
- c) Baking the dough or batter.

The water optionally added to the dry composition at step (a) may also be added as one of the "other ingredients" at step (b). Alternatively, it may be added in part at step (a) and in part at step (b). In any event, sufficient water should be added to compensate for the removal, in whole or in part, of the liquid egg component. For example, if 100% egg is replaced, for every 35 parts of dry composition according to the invention that are added, the dough or batter should comprise approximately 65 parts water (or water miscible liquid).

Apart from water, possible "other ingredients" as referred to in step (b) would be apparent to a person skilled in the art, depending on the eventual end product sought. Examples have been set out above and include flour, emulsifier, egg, raising agents, sweeteners and fat.

Preferably, step (c) of the above process is carried out at a temperature in the range 140-190 °C. Advantageously, cooking temperature will be adjusted to reflect the make-up of the dough or batter and, in particular, its egg content. Thus, for example, if 25% of the whole egg content has been replaced by the composition of the present invention, step (c) should be carried out at approximately 180°C. Alternatively, if 50% of the whole egg content has been replaced, step (c) should be carried out at approximately 170°C and if 100% of the whole egg content has been replaced, step (c) should be carried out at approximately 160°C. Advantageously, step (c) should be carried out in a non-coated receptacle, preferably in an iron receptacle. Baking time will depend on cooking temperature, quantity of dough and size and depth of the baking receptacle. On average, however, cooking time will be approximately 25-45 minutes.

The bakery products obtained according to the above process also form part of the present invention which is illustrated in the following example.

Example 1: Egg replacement in sponge cake

Recipe

Four cake mixes (Trials 1 - 4) were prepared as shown in Table 1.

Table 1

Ingredients (g)	1	2	3	4
flour	160	160	160	120
C*Gel 20006 ^(a)	62	62	62	62
C*EmTex 06328 ^(b)	0	34.5	69	69
C*Gel 03401 ^(c)	0	0	0	40
Sugar	230	230	230	230
Baking powder	8	8	8	8
BV40 (DMV)	30	30	30	30
Whey protein (DMV)	0	0	25	25
Water	130	233	336	336
Liquid eggs	275	137.5	0	0
Total	895	895	920	920

(a) C*Gel 20006 = native wheat starch; (b) C*EmTex 06328 = n-OSA starch; (c) C*Gel 03401 = native maize starch

Procedure

All ingredients were mixed in a Hobart mixer during 6 minutes at high speed. The dough was then poured into a greased/floured tins (400g of dough for tins having a diameter of 26 cm and 300 grams for a tins of 22cm). The dough was baked for 30-36 minutes at 180-160°C in a tray oven. Cooking details are shown in Table 2.

Table 2

Trial No.	Composition of Cake Mix (Egg replacement by C*EmTex 06328)	Baking temperature
1	Standard (0% egg replacement)	180°C
2	50% Egg replacement	170°C
3	100% Egg replacement + Whey Protein	170°C

4	100% Egg replacement + Whey Protein + 25 % of flour replaced by C*Gel 03401	160°C
---	--	-------

Results

The viscosity of the dough was determined, immediately after preparing the dough, by Stevens Texture Analyser using a cone and measuring at a penetration of 30mm. Cake height was determined after baking. The results obtained are set out in Table 3.

Table 3

	Trial No.			
	1	2	3	4
Specific Volume of dough (cm ³ /g)	3.26	3.1	2.78	3.25
Height of cake (mm)	50	46	41	49


Crumb hardness was determined after packaging the bakery products and storing them at 20°C for 2 days, 7 days and 15 days, respectively. Crumb hardness was measured with Stable Micro Systems texture analyser. The results are illustrated in Figure 1.

Analysis

Sponge cake without egg replacement gives a higher specific dough volume than cakes in which egg has been replaced, even if only partially, by n-OSA starch. There is, moreover, a particularly notable and unacceptable drop in volume when the entire egg content is replaced by n-OSA starch (approximately 15%). However, when egg is replaced by the composition of the present invention (trial 4), specific dough volume is not affected, i.e. it remains almost identical to that of a standard sponge cake mix, even at 100% replacement.

Similarly, sponge cake without egg replacement has a better cake height than cakes in which egg has been replaced by n-OSA starch. Indeed, height is reduced by up to 15% if the entire egg content is replaced. Again, however, this loss is avoided by replacing egg with the composition of the present invention. Even at 100% replacement, cake height remains almost identical to that of standard sponge cake.

Turning to crumb hardness, It is clear from the results shown in Figure 1 that cakes produced with the composition of the present invention have better crumb texture than those produced using egg. Moreover, this improvement is maintained over time (even after 15 days, crumb hardness is more than 20% higher in conventional cakes than in products containing the composition of the present invention) thus effectively extending the shelf life of the bakery product.



Claims

1. A dry composition for use in bakery products characterised in that it consists of:
 - a) 40-60% w/w, preferably 45-55% w/w, starch n-octenyl succinate;
 - b) 20-40% w/w, preferably 25-35% w/w, untreated starch; and
 - c) 10-30% w/w, preferably 15-25% w/w, whey protein.
2. A dry composition according claim 1, characterised in that the starch n-octenyl succinate is selected from thinned, undextrinised, dextrinised, cooked-up, pregelatinised and stabilised starch n-octenyl succinate and mixtures of two or more thereof.
3. A dry composition according to claim 1 or claim 2, characterised in that the starch n-octenyl succinate is derived from a high amylopectin source.
4. A liquid composition for use in bakery products characterised in that it comprises a dry composition according to any one of claims 1 to 3, water or a water-miscible liquid and, optionally, one or more flavouring(s), colorant(s), vitamin(s) and/or mineral(s).
5. A liquid composition according to claim 4, characterised in that the ratio of dry composition to water or water-miscible liquid is 35:65, preferably 45:55.
5. Use of a dry composition according to any one of claims 1 to 3, or of a liquid composition according to claim 4 or claim 5, for replacing whole egg in bakery products.

6. A dough or batter mixture for use in preparing a bakery product characterised in that it comprises a dry composition according to any one of claims 1 to 4 or of a liquid composition according to claim 4 or claim 5.

7. A dough or batter mixture according to claim 6, characterised in that it comprises 1-20% w/w, preferably 5-10% w/w, of said dry composition, or 5-40% w/w, preferably 10-35% w/w, of said liquid composition.

8. A dough or batter mixture for use in preparing a bakery product characterised in that it comprises:

- a) 10-20% w/w, preferably 10-15% w/w, flour;
- b) 1-15% w/w, preferably 4-12% w/w, starch n-octenyl succinate;
- c) 0.5-20% w/w, preferably 2-12% w/w untreated starch;
- d) 0.1-7% w/w, preferably 1-6% w/w, whey protein;
- e) 0-40% w/w, preferably 0-10% w/w, egg; and
- f) 0-10% w/w, preferably 0-3% w/w, emulsifier.

9. A dough or batter mixture according to any one of claims 6 to 8, characterised in that it further comprises one or more: water and/or water miscible liquid(s), raising agent(s), sweetener(s), fat(s), flavouring(s), colorant(s), vitamin(s) and/or mineral(s).

10. A dough or batter mixture according to any one of claims 6 to 9 for use in preparing a bakery product selected from the group consisting of pound cake, sponge cake, chiffon cake, cheese cake, fruitcake, layer cake and gingerbread.

11. A dough or batter mixture for use in preparing a sponge cake according to claim 6, characterised in that it comprises: 10-15% w/w flour; 5-10% w/w starch n-octenyl succinate; 4-15% w/w untreated starch; and 1-4% w/w whey protein.

12. A process for preparing bakery products characterised in that it comprises the following steps:


- (a) Preparing a mixture of starch n-octenyl succinate, untreated starch and whey protein;
- (b) Combining the mixture of step (a) with other ingredients for obtaining a dough or batter; and
- (c) Baking the dough or batter.

13. A process according to claim 12 wherein the other ingredients of step (b) include flour and one or more of: egg, emulsifier(s), water and/or water miscible liquid(s), raising agent(s), sweetener(s), fat(s), flavouring(s), colorant(s), vitamin(s) and mineral(s).

14. A process according to claim 12 or 13, wherein step (c) is carried out at a temperature in the range 140-190 °C, preferably at 160° C.

15. A process according to any one of claims 12 to 14, wherein step (c) is carried out in a non-coated receptacle, preferably in an iron receptacle.

16. A bakery product made according to the process of any one of claims 12 to 15.



Abstract

The present invention discloses a composition for use in bakery products characterised in that it consists of: starch n-octenyl succinate, untreated starch and whey protein, the use of such a composition to replace whole egg in bakery products and bakery products comprising the composition.

Stable Micro Systems Texture Analyser (in gram)

Sponge Cake Compressibility




FIGURE 1/1

■ After 2 days
 ■ After 7 days
 □ After 15 days

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.